


Product Specification

21.5 inch Capacitive Touch Industrial All-In-One PC

Model : ZPC215-S112






Specification:

Parameter		
Host Configuration Parameter	Mainboard Type	Industrial Mainboard
	CPU	Intel® Celeron® J1900, Quad-core, 2GHz, TDP 10W
	RAM	4GB (Support DDR3L-1333 MHz, 1 * SO-DIMM Slot, Up to 8GB)
	SSD	64GB
	USB	1*USB3.0, 3*USB2.0 (add two extra USB2.0 optional)
	HDMI	1 * HDMI
	COM Port	2 * COM (RS232/422/485 auto-flow)
	VGA	1 *VGA
	LAN	1* Realtek PCI-E NIC RTL8111F (10/100/1000Mbps)
	AUDIO	Realtek ALC662 5.1 Channel HDA Codec , Support MIC/Line-out Ports
	Power	12V DC_IN Power Input Connector
	WIFI	Optional
	OS	Windows/Linux, Preinstalled Win10 64bit
	OS	Windows/Linux, Preinstalled Win10 64bit
Touch Screen	Type	PCAP Touch
	Respond Time	≤5ms
	Luminousness	85±5%
	Surface Hardness	6H
	Click Lifetime	50 millions times
	Anti Static Pressure	5kg/cm ²
	Communication Interface	USB interface
Display Screen	Type	21.5inches
	Interface	LVDS
	Backlight	LED
	Backlight MTBF	50000h
	Resolution	1920*1080
	Brightness	300cd
	Dynamic Contrast	1000:1
	Viewing Angle	R/L:65(Typ.) , U/D:65(Typ)
Environmental Parameters	Operating Temperature	-10—+60
	Storage Temperature	-20—+70
	Relative Humidity	20%—90%
General Parameters	Outline Dimension	533mm×319.9mm×49.6mm (L*W*H)
	Display Dimension	476.6mm×268.1mm (L*W)
	Hole Size	527mm×314.4mm (L*W)
	Shell Material	Metal plate
	Installation Type	Embedded, Wall-Mounted, Desktop, VESA

Dimension Drawing: mm



21.5寸一体机款

Product Model	Product description
ZPC215-S112	21.5inch PCAP touch All-In-One PC/ Resolution 1920*1080/ Windows10 64bit/ CPU J1900/RAM 4G /SSD 64GB

Accessories:

Product Name	Specification
Mounting strip	2 PCS
Adapter	12V/5A
Power Cable	1.5M
Touch Pen	1 PCS
Manual/Warranty Card	Each 1 PCS

Optional Accessories:

Product Name	Specification
Power Cable	3M /5M
Wall-Mounted Plate	Wall-mounted using optional
Desktop Stand	Desktop installation optional

GUANGZHOU CHONGCHANG COMPUTER TECHNOLOGY Co.,LTD

Contact: Sam Jian

Wechat/Whatsapp/Skype:+86 18529112435