


# Product Specification

## 10.1 inch Capacitive Touch Industrial All-In-One PC (Android OS)


Model: ZPC101-S113





## Specification:

| Parameter                    |                         |                                                                |
|------------------------------|-------------------------|----------------------------------------------------------------|
| Host Configuration Parameter | Motherboard Type        | Industrial Motherboard                                         |
|                              | CPU                     | RK3288 Cortex-A17, Quad-core, 1.6GHZ                           |
|                              | RAM                     | DDR-III 2GB (4GB )                                             |
|                              | SSD                     | 8GB EMMC NAND Chip (Up to 128GB)                               |
|                              | USB                     | 2 * USB2.0                                                     |
|                              | HDMI                    | 1 * HDMI                                                       |
|                              | TF                      | 1 * TF slot                                                    |
|                              | SIM                     | 1 * SIM slot                                                   |
|                              | LAN                     | 1* Realtek PCI-E NIC RTL8111F (10/100/1000Mbps)                |
|                              | AUDIO                   | Realtek ALC662 5.1 Channel HDA Codec , Support Line-out Ports  |
|                              | Power                   | 12VDC_IN Power Input Connector                                 |
|                              | WIFI                    | Build-in SDIO interface WIFI module ,support IEEE 802.11 b/g/n |
|                              | OS                      | Android 7.1 system                                             |
| Touch Screen                 | Type                    | PCAP Touch                                                     |
|                              | Respond Time            | ≤5ms                                                           |
|                              | Luminousness            | 85±5%                                                          |
|                              | Surface Hardness        | 6H                                                             |
|                              | Click Lifetime          | 50 millions times                                              |
|                              | Anti Static Pressure    | 5kg/cm <sup>2</sup>                                            |
|                              | Communication Interface | USB interface                                                  |
| Display Screen               | Type                    | 10.1 inches                                                    |
|                              | Interface               | LVDS                                                           |
|                              | Backlight               | LED                                                            |
|                              | Backlight MTBF          | 50000h                                                         |
|                              | Resolution              | 1024*600                                                       |
|                              | Brightness              | 300cd                                                          |
|                              | Dynamic Contrast        | 1000:1                                                         |
|                              | Viewing Angle           | R/L:65(Typ.) , U/D:65(Typ)                                     |
| Environmental Parameters     | Operating Temperature   | -10—+60                                                        |
|                              | Storage Temperature     | -20—+70                                                        |
|                              | Relative Humidity       | 20%—90%                                                        |
| General Parameters           | Outline Dimension       | 263.5mm×175mm×45.2mm (L*W*H)                                   |
|                              | Display Dimension       | 221.1mm×139.9mm (L*W)                                          |
|                              | Hole Size               | 258.2mm×170.2mm (L*W)                                          |
|                              | Shell Material          | Metal plate                                                    |
|                              | Installation Type       | Embedded, Wall-Mounted, Desktop, VESA                          |

**Dimension Drawing: mm**

| Product Model | Product description                                                                                   |
|---------------|-------------------------------------------------------------------------------------------------------|
| ZPC101-S113   | 10.1 inch PCAP touch All-In-One PC/ Resolution 1280*800/ Android 7.1 System / RK3288. RAM 2G. eMMC 8G |

**Accessories:**

| Product Name         | Specification |
|----------------------|---------------|
| Mounting strip       | 2 PCS         |
| Adapter              | 12V/5A        |
| Power Cable          | 1.5M          |
| Touch Pen            | 1 PCS         |
| Manual/Warranty Card | Each 1 PCS    |

**Optional Accessories:**

| Product Name       | Specification                 |
|--------------------|-------------------------------|
| Power Cable        | 3M /5M                        |
| Wall-Mounted Plate | Wall-mounted using optional   |
| Desktop Stand      | Desktop installation optional |
|                    |                               |
|                    |                               |

GUANGZHOU CHONGCHANG COMPUTER TECHNOLOGY Co.,LTD

Contact: Sam Jian

Wechat/Whatsapp/Skype:+86 18529112435