



# Product Specification

## 43 inch Capacitive Touch Industrial All-In-One PC

Model : ZPC430-H112





## Specification:

| Parameter                    |                         |                                                                   |
|------------------------------|-------------------------|-------------------------------------------------------------------|
| Host Configuration Parameter | Mainboard Type          | Industrial Mainboard                                              |
|                              | CPU                     | Intel® Celeron® J1900, Quad-core, 2GHz, TDP 10W                   |
|                              | RAM                     | 4GB (Support DDR3L-1333 MHz, 1 * SO-DIMM Slot, Up to 8GB)         |
|                              | SSD                     | 64GB                                                              |
|                              | USB                     | 1*USB3.0, 3*USB2.0 (add two extra USB2.0 optional)                |
|                              | HDMI                    | 1 * HDMI                                                          |
|                              | COM Port                | 2 * COM (RS232/422/485 auto-flow)                                 |
|                              | VGA                     | 1 *VGA                                                            |
|                              | LAN                     | 1* Realtek PCI-E NIC RTL8111F (10/100/1000Mbps)                   |
|                              | AUDIO                   | Realtek ALC662 5.1 Channel HDA Codec , Support MIC/Line-out Ports |
|                              | Power                   | 100-240V AC_IN Power Input Connector                              |
|                              | WIFI                    | Optional                                                          |
|                              | OS                      | Windows/Linux, Preinstalled Win10 64bit                           |
| Touch Screen                 | Type                    | PCAP Touch                                                        |
|                              | Respond Time            | ≤5ms                                                              |
|                              | Luminousness            | 85±5%                                                             |
|                              | Surface Hardness        | 6H                                                                |
|                              | Click Lifetime          | 50 millions times                                                 |
|                              | Anti Static Pressure    | 5kg/cm <sup>2</sup>                                               |
|                              | Communication Interface | USB interface                                                     |
| Display Screen               | Type                    | 43 inches                                                         |
|                              | Interface               | LVDS                                                              |
|                              | Backlight               | LED                                                               |
|                              | Backlight MTBF          | 50000h                                                            |
|                              | Resolution              | 1920*1080                                                         |
|                              | Brightness              | 300cd                                                             |
|                              | Dynamic Contrast        | 1000:1                                                            |
|                              | Viewing Angle           | R/L:65(Typ.), U/D:65(Typ)                                         |
| Environmental Parameters     | Operating Temperature   | -10—+60                                                           |
|                              | Storage Temperature     | -20—+70                                                           |
|                              | Relative Humidity       | 20%—90%                                                           |
| General Parameters           | Outline Dimension       | 1007.1*594.7*56.7mm (L*W*H)                                       |
|                              | Display Dimension       | 943*531mm (L*W)                                                   |
|                              | Shell Material          | Front panel aluminum die casting + aluminum alloy back cover      |
|                              | Installation Type       | Wall-Mounted, Desktop                                             |

**Dimension Drawing: mm**

| Product Model | Product description                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------|
| ZPC430-H112   | 43inch PCAP touch All-In-One PC/ Resolution 1920*1080 / Windows10 64bit/<br>CPU J1900/RAM 4G /SSD 64GB |

**Accessories:**

| Product Name         | Specification |
|----------------------|---------------|
| Wall-Mounted Plate   | 1 PCS         |
| Power Cable          | 1.5M          |
| Touch Pen            | 1 PCS         |
| Manual/Warranty Card | Each 1 PCS    |

**Optional Accessories:**

| Product Name  | Specification                 |
|---------------|-------------------------------|
| Power Cable   | 3M /5M                        |
| Desktop Stand | Desktop installation optional |

GUANGZHOU CHONGCHANG COMPUTER TECHNOLOGY Co.,LTD

Contact: Sam Jian

Wechat/Whatsapp/Skype:+86 18529112435